

## DAFTAR PUSTAKA

- Ababa, A. 2014. *Ethiopian Food , Medicine and Healthcare Administration and Control Authority Cosmetics and Sanitary Items Directive* (Issue June).
- Aglawe, S. B., Gayke, A. U., Khurde, A., Mehta, D., Mohare, T., Pangavane, A., & Kandalkar, S. 2019. Preparation and evaluation of polyherbal facial scrub. *Journal of Drug Delivery and Therapeutics*, 9(2), 61–63. <https://doi.org/10.22270/jddt.v9i2.2380>
- Agustin, V., & Gunawan, S. 2019. Uji fitokimia dan aktivitas antioksidan ekstrak mentimun (*Cucumis sativus*.L). *Tarumanagara Medical Journal*, 1(2), 195–200.
- Allen, L. V., 2009, Handbook of Pharmaceutical Excipients, Sixth Edition, Rowe R. C., Sheskey, P. J., Queen, M. E., (Editor), London, Pharmaceutical Press and American Pharmacists Assosiation.
- Andayani, R., Maimunah, & Lisawati, Y. 2008. Penentuan aktivitas antioksidan, kadar fenolat total dan likopen pada buah tomat (*Solanum lycopersicum* L). *Jurnal Sains Dan Teknologi Farmasi*, 13(1), 31–37.
- Atanasov, A. G., Waltenberger, B., Pferschy-Wenzig, E. M., Linder, T., Wawrosch, C., Uhrin, P., Temml, V., Wang, L., Schwaiger, S., Heiss, E. H., Rollinger, J. M., Schuster, D., Breuss, J. M., Bochkov, V., Mihovilovic, M. D., Kopp, B., Bauer, R., Dirsch, V. M., & Stuppner, H. 2015. Discovery and resupply of pharmacologically active plant-derived natural products: A review. *Biotechnology Advances*, 33(8), 1582–1614. <https://doi.org/10.1016/j.biotechadv.2015.08.001>
- Aznury, M., Sofiah, & Sari, R. P. 2021. Produk Gel Hand Sanitizer Berbahan Dasar Ekstrak Cair Daun Sirih Hijau (*Piper betle* Linn.) Sebagai Antiseptik. *Kinetika*, 11(01), 27–35. <https://doi.org/ISSN 1693-9050>
- Bandiola, T. M. 2018. Extraction and Qualitative Phytochemical Screening of Medicinal Plants: A Brief Summary. *International Journal of Pharmacy*, 8(1), 137–143.
- Bankar, G. R., Nayak, P. G., Bansal, P., Paul, P., Pai, K. S. R., Singla, R. K., & Bhat, V. G. 2011. Vasorelaxant and antihypertensive effect of *Cocos nucifera* Linn . endocarp on isolated rat thoracic aorta and DOCA salt-induced hypertensive rats. *Journal of Ethnopharmacology*, 134(1), 50–54. <https://doi.org/10.1016/j.jep.2010.11.047>
- Cragg, G. M., & Newman, D. J. (2013). Natural products: A continuing source of novel drug leads. *Biochimica et Biophysica Acta - General Subjects*, 1830(6), 3670–3695. <https://doi.org/10.1016/j.bbagen.2013.02.008>
- Debbarma, D., Dona, D., Pk, M., Baidyanath, M., Vivekananda, R., & Dimple, W. (2015). Clinical Review of Deep Cleansing Apricot Scrub: an Herbal

- Formulation. *International Jurnal of Bioassays*, 4251–4253.
- Du, G., Zhao, H., Song, Y., Zhang, Q., & Wang, Y. 2011. Rapid simultaneous determination of isoflavones in *Radix puerariae* using high-performance liquid chromatography-triple quadrupole mass spectrometry with novel shell-type column. *Journal of Separation Science*, 34(19), 2576–2585. <https://doi.org/10.1002/jssc.201100295>
- Emerald, M., Emerald, A., Emerald, L., & Kumar, V. 2016. Perspective of Natural Products in Skincare. *Pharmacy & Pharmacology International Journal*, 4(3). <https://doi.org/10.15406/ppij.2016.04.00072>
- Febriani, A., Maruya, I., & Sulistyaningsih, F. 2020. Formulasi dan Uji Iritasi Sediaan Gel Kombinasi Ekstrak Etanol Rimpang Kencur (*Kaempferia galanga* L.) dan Ekstrak Etanol Herba Pegagan (*Centella asiatica*, L.) Urban ). *Sainstech Farma Jurnal Ilmu Kefarmasian*, 13(1), 45–54. <https://ejournal.istn.ac.id/index.php/saintechfarma/article/view/524>
- Fitriyani, E., & Deviarni, I. M. 2013. Pemanfaatan Ekstrak Albumin Ikan Gabus (*Channa striata*) Sebagai Bahan Dasar Cream Penyembuh Luka. *Vokasi*, IX(November), 166–174.
- Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. 2012. *Skin anti-aging strategies*. 4(3), 308–319.
- Garg, C., Singh, R., & Garg, M. 2020. in Vitro Screening of Antioxidant and Antiaging Potential of *Cucumis Sativus* Fruit Extract. *Asian Journal of Pharmaceutical and Clinical Research*, 13(5), 187–190. <https://doi.org/10.22159/ajpcr.2020.v13i5.37258>
- Ghode, D. S. P., Chatur, V. M., Ghode, D. P. D., Shah, N., Prajapati, S., & Thorave, A. 2019. Formulation And Evaluation Of Facial Scrub Containing Sunflower Seeds And Other Natural Ingredients. *World Journal of Pharmaceutical Research*, 8(9), 1772–1781. <https://doi.org/10.20959/wjpr20199-15614>
- Gilaberte, Y., Prieto-Torres, L., Pastushenko, I., & Juarranz, Á. 2016. Anatomy and Function of the Skin. In *Nanoscience in Dermatology*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Goyal, S., Sharma P, Ramchandani U, Shrivastava S K, & Dubey P K. 2011. Novel Anti-Inflammatory Topical Herbal Gels Containing *Withania somnifera* and *Boswellia serrata*. *International Journal of Pharmaceutical & Biological Archives*, 2(4), 1087–1094. [www.ijpba.info](http://www.ijpba.info)
- Juliantoni, Y., Hajrin, W., & Subaidah, W. A. 2020. Formulasi Sediaan Gel Sari Buah Duwet (*Syzygium cumini*) dengan Basis Karbopol 940 Sebagai Gelling Agent. *Sasambo Journal of Pharmacy*, 1(2), 30–33. <https://doi.org/10.29303/sjp.v1i2.14>
- Kanitakis, J. 2002. Anatomy, histology and immunohistochemistry of normal

- human skin. *European Journal of Dermatology*, 12(4), 390–401.
- Kementerian Kesehatan RI. 2020. Farmakope Indonesia Edisi IV. In *Departemen Kesehatan Republik Indonesia*. [https://perpustakaan.bsn.go.id/index.php?p=show\\_detail&id=14835](https://perpustakaan.bsn.go.id/index.php?p=show_detail&id=14835)
- Kuncari, E. S., Iskandarsyah, & Praptiwi. 2014. Evaluasi, Uji Stabilitas Fisik Dan Sineresis Sediaan Gel Yang Mengandung Minoksidil, Apigenin Dan Perasan Herba Seledri (*Apium graveolens L.*). 42(4), 213–222.
- Lenterani, I. 2020. Formulasi Dan Uji Stabilitas Fisik Sediaan Facial Wash Gel Ekstrak Kulit Buah Naga (*Hylocereus Polyrhizus*) : Skripsi.
- Li, Peng, Xu, G., Li, S. P., Wang, Y. T., Fan, T. P., Zhao, Q. S., & Zhang, Q. W. 2008. Optimizing ultraperformance liquid chromatographic analysis of 10 diterpenoid compounds in *Salvia miltiorrhiza* using central composite design. *Journal of Agricultural and Food Chemistry*, 56(4), 1164–1171. <https://doi.org/10.1021/jf073020u>
- Li, Ping, Yin, Z. Q., Li, S. L., Huang, X. J., Ye, W. C., & Zhang, Q. W. 2014. Simultaneous determination of eight flavonoids and pogostone in pogostemon cablin by high performance liquid chromatography. *Journal of Liquid Chromatography and Related Technologies*, 37(12), 1771–1784. <https://doi.org/10.1080/10826076.2013.809545>
- Lima, E. B. C., Sousa, C. N. S., Meneses, L. N., Ximenes, N. C., Júnior, M. A. S., Vasconcelos, G. S., Lima, N. B. C., Patrocínio, M. C. A., Macedo, D., & Vasconcelos, S. M. M. 2015. *Cocos nucifera*, L (Arecaceae) : A phytochemical and pharmacological review. *Brazilian Journal of Medical and Biological Research*, 48(11), 953–964. <https://doi.org/10.1590/1414-431X20154773>
- Majekodunmi, S. O. (2015). Review of extraction xtraction of medicinal plants lants for pharmaceutical harmaceutical research. *Merit Research Journals*, 3(11), 521–527.
- Mardiatmoko, G., & Ariyanti, M. (2018). *Produksi Tanaman Kelapa (Cocos nucifera L.)*.
- Mutmainah, Kusmita, L., & Puspitaningrum, I. 2008. Pengaruh Perbedaan Konsentrasi Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana L.*) Terhadap Karakteristik Fisik Sediaan Gel. 2007, 98–104.
- Naibaho, O. H., Yamlean, P. V. Y., & Wiyono, W. 2013. Pengaruh Basis Salep Terhadap Formulasi Sediaan Salep Ekstrak Daun Kemangi (*Ocimum sanctum L.*) Pada Kulit Punggung Kelinci yang Dibuat Infeksi *Staphylococcus aureus*. *Jurnal Ilmiah Farmasi*, 2(02), 27–34. <https://doi.org/https://doi.org/10.35799/pha.2.2013.1553>
- Nn, A. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants*, 04(03), 3–

8. <https://doi.org/10.4172/2167-0412.1000196>
- Pandey, A., & Tripathi, S. 2014. Concept of standardization , extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry*, 2(5), 115–119.
- Pertiwi, R. D., Kristanto, J., & Praptiwi, G. A. 2016. Uji Aktifitas Antibakteri Formulasi Gel Untuk Sariawan Dari Ekstrak Daun Saga (*Abrus precatorius* Linn. ) Terhadap Bakteri *Staphylococcus aureus*. *Jurnal Ilmiah Manuntung*, 2(2), 1–9.
- Pramuditha, N. 2016. Uji Stabilitas Fisik Lulur Krim Dari Ampas Kelapa (*Cocos nucifera* L.) Dengan Menggunakan Emulgator Anionik Dan Nonionik : Skripsi.
- Prathyusha, J., Yamani, N. S., Santhosh, G., Aravind, A., & Naresh, B. 2019. Formulation and Evaluation of Polyherbal Face Scrubber for Oily Skin in Gel Form. *International Journal of Pharmaceutical Sciences and Drug Research*, 11(04), 126–128. <https://doi.org/10.25004/ijpsdr.2019.110404>
- Print, I., Online, I., Ahmed, I., Faysal, A. Al, Mian, Y., Rahman, S. M. A., Mahfuzur, M., & Kanon, A. 2015. Cytotoxic , thrombolytic , antioxidant and antimicrobial activities of *Cocos nucifera linn* . endocarp extracts. *World Journal of Pharmaceutical Sciences*, 3(6), 1072–1075.
- Putri, M. F. 2010. Tepung Ampas Kelapa pada Umur Panen 11-12 Bulan Sebagai Bahan Pangan Sumber Kesehatan. *Jurnal Kompetensi Teknik*, 1(2), 97–105.
- Putri, M. F. 2014. Kandungan Gizi Dan Sifat Fisik Tepung Ampas Kelapa Sebagai Bahan Pangan Sumber Serat. *Teknologia*, 1(1), 32–43.
- Rabiu, A., & Haque, M. 2020. Preparation of Medicinal Plants : Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of Pharmacy and BioAllied Sciences*, 12(1), 1–10. <https://doi.org/10.4103/jpbs.JPBS>
- Rahmawati, D. A., & Setiawan, I. 2019. The Formulation and Physical Stability Test of Gel Fruit Strawberry Extract (*Fragaria x ananassa* Duch.). *Journal of Nutraceuticals and Herbal Medicine*, 2(1), 38–46.
- Rathod, H. J., & Mehta, D. P. 2015. Acta Scientifica International Journal of Pharmaceutical Science. *International Journal of Pharmaceutical Sciences*, 1(1), 33–47.
- Rismana, E., Rosidah, I., Bunga, O., Yunianto, P., & Erna, E. 2015. Pengujian Stabilitas Sediaan Luka Bakar Berbahan Baku Aktif Kitosan/Ekstrak Pegagan(*Centella asiatica*). *Jurnal Kimia Terapan Indonesia*, 17(1), 27–37. <https://doi.org/10.14203/jkti.v17i1.20>
- Safitri, F. I., Nawangsari, D., & Febrina, D. 2021. Overview: Application of Carbopol 940 in Gel. *Advances in Health Sciences Research*, 34(Ahms 2020),

- 80–84. <https://doi.org/10.2991/ahsr.k.210127.018>
- Sari, B. H., & Diana, V. E. 2019. Formulasi Ekstrak Daun Pegagan (*Centella asiatica*) sebagai Sediaan Sabun Cair. *Jurnal Dunia Farmasi*, 2(1), 40–49. <https://doi.org/10.33085/jdf.v2i1.4395>
- Silvia, D., Katharina, K., Hartono, S. A., Anastasia, V., & Susanto, Y. 2016. Pengumpulan Data Base Sumber Antioksidan Alami Alternatif Berbasis Pangan Lokal Di Indonesia. *Surya Octagon Interdisciplinary Journal of Technology*, 1(2), 181–198.
- Singh, M., Sharma, S., Khokra, S. L., Sahu, R. K., & Jangde, R. 2011. Preparation and evaluation of herbal cosmetic cream. *ResearchGate*, 2(July 2014), 1258–1264.
- Tanone, R., & Prasetya, H. B. 2019. Designing and implementing an organoleptic test application for food products using android based decision tree algorithm. *International Journal of Interactive Mobile Technologies*, 13(10), 134–149. <https://doi.org/10.3991/ijim.v13i10.9669>
- Twile, D. K. S. and R. 2016. Formulation and characterization of herbal face wash/scruber. *European Journal of Pharmaceutical and Medical Research*, 3(11), 274–278.
- Vifta, R. L., & Advistasari, Y. D. 2018. Skrining Fitokimia , Karakterisasi , dan Penentuan Kadar Flavonoid Total Ekstrak dan Fraksi-Fraksi Buah Parijoto ( *Medinilla speciosa* B.). *Prosiding Seminar Nasional Unimus*, 1, 8–14.
- Viju, N., Satheesh, S., & Vincent, S. G. P. 2013. Antibiofilm activity of coconut ( *Cocos nucifera* Linn.) husk fibre extract. *Saudi Journal of Biological Sciences*, 20(1), 85–91. <https://doi.org/10.1016/j.sjbs.2012.11.002>
- Wijaya, D. P., Paendong, J. E., & Abidjulu, J. 2014. Skrining Fitokimia dan Uji Aktivitas Antioksidan dari Daun Nasi ( *Phrynum capitatum* ) dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal Mipa Unsrat Online*, 3(1), 11–15.
- Yi, Y., Zhang, Q. W., Li, S. L., Wang, Y., Ye, W. C., Zhao, J., & Wang, Y. T. 2012. Simultaneous quantification of major flavonoids in “bawanghua”, the edible flower of *Hylocereus undatus* using pressurised liquid extraction and high performance liquid chromatography. *Food Chemistry*, 135(2), 528–533. <https://doi.org/10.1016/j.foodchem.2012.05.010>
- Yulvianti, M., Ernayati, W., Tarsono, & R, M. A. 2015. Pemanfaatan ampas kelapa sebagai bahan baku tepung kelapa tinggi serat dengan metode freeze drying. *J. Integrasi Proses*, 5(2), 101–107.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. 2018. Techniques for extraction and isolation of natural products: A comprehensive review. In *Chinese Medicine (United Kingdom)* (Vol. 13, Issue 1, pp. 1–26). BioMed Central. <https://doi.org/10.1186/s13020-018-0177-x>

