

DAFTAR PUSTAKA

- Alisa, N. (2017). Uji Stabilitas Fisik Ekstrak Meniran (*Phyllanthus niruri* Linn.) Terstandar Dalam Bentuk Sediaan Self-Nano-Emulsifying Drug Delivery System (SNEDDS). *Skripsi*.
- Alkandahri, M. Y., Berbudi, A., Vicahyani Utami, N., dan Subarnas, A. (2019). Antimalarial activity of extract and fractions of *Castanopsis costata* (Blume) A.DC. *Avicenna Journal of Phytomedicine*, 9(5), 474–481.
- Alkandahri, M. Y., Nisriadi, L., dan Salim, E. (2016). Secondary Metabolites and Antioxidant Activity of Methanol Extract of *Castanopsis costata* Leaves. *Pharmacology and Clinical Pharmacy Research*, 1(3).
- Alkandahri, M. Y., Porman N.S.E. S. and C. F. (2018). International Journal Of Current Medical Sciences Research Article Inflammatory Activity Of Cep-Cepan Leaves (*Castanopsis costata*). *International Journal of Current Medical Sciences*, 8(4(A)), 424–429.
- Anindhita, M. A., dan Oktaviani, N. (2016). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstak Daun Pepaya (*Carica papaya* L.) dengan Virgin Coconut Oil (VCO) sebagai Minyak Pembawa. *Pena Medika Jurnal Kesehatan*, 6(2), 103–111.
- Annisa, Rahmi., Esti Hendradi., dan Dewi Melani. 2016. Pengembangan Sistem Nanostructured Lipid Carriers (Nlc) Meloxicam Dengan Lipid Monostearin Dan Miglyol 808 Menggunakan Metode Emulsifikasi. *J. Trop. Pharm. Chem.* 3(3). 156-169.
- Ariviani, S., Raharjo, S., Anggrahini, S., dan Naruki, S. (2015). Formulasi Dan Stabilitas Mikroemulsi O / W Dengan Metode Emulsifikasi Spontan Menggunakan Vco Dan Minyak Sawit Sebagai Fase Minyak : Pengaruh Rasio Surfaktan-Minyak. *AGRITECH*, 35(1), 27–34.
- Avigail, Y., Yudiati, E., and Pringgenies, D. 2019. Aktivitas Antioksidan dan Kandungan Total Fenolik pada Ekstrak Teripang di. *Journal of Marine Research Vol.8*. 8(4): 346–354.
- Bajaj, S., Singla, D., and Sakhuja, N. (2012). Stability testing of pharmaceutical products. *Journal of Applied Pharmaceutical Science*, 2(3), 129–138.
- Badan Pengawas Obat dan Makanan Republik Indonesia. 2011. Pengawasan Klaim dalam Label dan Iklan Pangan Olahan. Jakarta: BPOM. (3-9).
- Cahyani, S. E., Nugroho, B. H., dan Syukri, Y. (2020). Stability studies of mefenamic acid Self-Nanoemulsifying drug delivery system (SNEEDS) preparation with oleic acid as the oil phase. *Jurnal Ilmiah Farmasi*, 16(2), 130–143.
- Chairunnisa, S., Wartini, N. M., Suhendra, L., Pertanian, F. T., Udayana, U., dan Bukit, K. (2019). Pengaruh Suhu dan Waktu Maserasi terhadap Karakteristik Ekstrak Daun Bidara (*Ziziphus mauritiana* L .) sebagai Sumber Saponin. *Jurnal Rekayasa dan Manajemen Agroindustri*, 7(4), 551–560.

- Chen, L., Lin, X., Xu, X., Chen, Y., Li, K., Fan, X., Pang, J., and Teng, H. (2019). Self-nano-emulsifying formulation of *Sonchus oleraceus* Linn for improved stability: Implications for phenolics degradation under in vitro gastro-intestinal digestion: Food grade drug delivery system for crude extract but not single compound. *Journal of Functional Foods*, 53(July 2018), 28–35.
- Creshwell, J. (2003). *Research Design Qualitative, Quantitative, and Mixed Methods Approaches*. Library of Congress Cataloging-in-Publication Data, (219-220).
- Daga, A. S., Ingole, B. D., Kulkarni, S. S., and Biyani, K. R. (2012). Self emulsifying drug delivery system: Hitherto and novel approach. *Research Journal of Pharmacy and Technology*, 5(6), 736–745.
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., Mozafari, M.R. 2018. Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*. 10: 1–17.
- Darojah, L. I., and Kusumastuti, E. (2018). Indonesian Journal of Chemical Science Modifikasi Zeolit A dengan Surfaktan HDTMA dan Aplikasinya sebagai Adsorben Ion Nitrat. *Indonesian Journal of Chemical Science*, 7(1), 1–8.
- Dewi, S.V., dan Indah, M. (2019). Rancangan Sistem Pakar Mendiagnosa Penyakit Lambung Menggunakan Metode Forward Chaining. *Journal of Informatics and Computer Science*. 5 (1)
- Fridayanti, A., Hendradi, E. dan Isnaeni. (2010). Pengaruh Kadar Polietilen Glikol (Peg) 400 Terhadap Pelepasan Natrium Diklofenak Dari Sediaan Transdermal Patch Type Matriks. *Journal Of Tropical Pharmacy And Chemistry*, 1(1), 4–10.
- Gaidhani, K. A., Harwalkar, M., Bhambere, D., dan Nirgude, P. S. (2015). Lyophilization / Freeze Drying. *World Journal of Pharmaceutical Research*. 4(8), 516–543.
- Gaidhani, K. A., Harwalkar, M., dan Nirgude, P. S. (2014). World Journal of Pharmaceutical Research SEED EXTRACTS. *World Journal of Pharmaceutical Research*, 3(3), 5041–5048.
- Handayani, F. S., Nugroho, B. H., dan Munawiroh, S. Z. (2018). Optimization of low energy nanoemulsion of Grape seed oil formulation using D-Optimal Mixture Design (DMD) Optimasi Formulasi Nanoemulsi Minyak Biji Anggur Energi Rendah dengan D-Optimal Mixture Design (DMD). *Jurnal Ilmiah Farmasi*, 14(1), 17–34.
- Hanifa, A. P., Millner, J. P., Rosalina, Y., Warsiki, E., and Fauzi, A. M. (2019). Optimization of Total Anthocyanin Extraction from Brown Rice (*Oryza nivara*). *Journal of Physics: Conference Series*. 1338.
- Hapsari, T. D., dan Puspitasari, I. M. (2018). Potensi Kitosan Dalam Sistem Penghantaran Obat Tertarget Pada Organ Paru Hati Ginjal Dan Kolon. *Farmaka*, 16(2), 54–63.

- Hardinsyah., Riyadi, H., Napitupulu, V. 2016. Kecukupan Energi, Protein, Lemak dan Karbohidrat. *The Food and Nutrition Society of Indonesia*. 1: 1-26.
- Hasrawati, A., Hasyim, N., dan Irsyad, N. A. (2016). Pengembangan Formulasi Mikroemulsi Minyak Sereh (*Cymbopogon nardus*) Menggunakan Emulgator Surfaktan Nonionik. *Jurnal Fitofarmaka Indonesia*, 3(1), 151–154.
- Hayati, F., Chabib, L., and Darma, D. D. (2018). Antihyperglycemia Activity of *Self-Nano Emulsifying Drug- Delivery Systems* (SNEDDS) of Ipomoea reptans , Poir Leaf Ethanolic Extract in Zebrafish (*Danio rerio*). *2nd International Conference on Chemistry, Chemical Process and Engineering (IC3PE)*.
- Hernawan Nugroho, B., Citrariana, S., Nurma Sari, I., dan Nadya Oktari, R. (2017). Formulation and evaluation of SNEDDS (Self Nano-emulsifying Drug Delivery System) of papaya leaf extracts (*Carica papaya* L.) as an analgesic Formulasi dan evaluasi SNEDDS (Self Nanoemulsifying Drug Delivery System) ekstrak daun pepaya (*Carica papaya* L.). *Jurnal Ilmiah Farmasi*, 13(2), 77–85.
- Hoten, H. Van. (2020). Analisis Karakterisasi Serbuk Biokeramik Dari Cangkang Telur Ayam Broiler. *ROTOR*, 13(1), 1–5.
- Huda, N., dan Wahyuningsih, I. (2018). Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (*Pandanus conoideus* Lam.). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 3(2), 49.
- Husni, P., Hisprastin, Y., dan Januarti, M. (2019). IKAN LEMURU (*Sardinella lemuru*). *Jurnal Farmasi Desember*, 11(02), 137–146.
- Jain, K. K. (2020). An Overview of Drug Delivery Systems. In *Methods in Molecular Biology*, (2059).
- Jain, N., Verma, A., and Jain, N. (2020). Formulation and investigation of pilocarpine hydrochloride niosomal gels for the treatment of glaucoma: intraocular pressure measurement in white albino rabbits. *Taylor & Francis*, 27(1), 888–899.
- Juni, E.W. Arneli, and S. (2012). Jurnal Kimia Sains dan Aplikasi Pemanfaatan Surfaktan Kationik Hasil Sublasi sebagai Molekul Pengarah pada Pembuatan Material Berpori dari Sekam Padi. *Jurnal Kimia Sains Dan Aplikasi*, 15(1), 24–28.
- Jyothirmayee, D., Sravya, N., Rangani, V. 2017. Formulation And Evaluation Of Liquid Fill Formulations For Soft Gels Of Elvitegravir. *European Journal of Biomedical AND Pharmaceutical sciences*. 3(12): 488-496.
- Kassem, A. A., Abd El-Alim, S. H., Salman, A. M., Mohammed, M. A., Hassan, N. S., dan El-Gengaihi, S. E. (2020). Improved hepatoprotective activity of Beta vulgaris L. leaf extract loaded *self-nanoemulsifying drug delivery system* (SNEDDS): in vitro and in vivo evaluation. *Drug Development and Industrial Pharmacy*, 46(10), 1589–1603.

- Khattab, A., Hassanin, L., dan Zaki, N. (2017). Self-Nanoemulsifying Drug Delivery System of Coenzyme (Q10) with Improved Dissolution, Bioavailability, and Protective Efficiency on Liver Fibrosis. *AAPS PharmSciTech*, 18(5), 1657–1672.
- Khor, V. K., Ahrends, R., Lin, Y., Shen, W., Adams, C. M., Roseman, N., and *et al.*, (2014). The Proteome of Cholesteryl-Ester-Enriched Versus Triacylglycerol-Enriched Lipid Droplets. *PLOS ONE*, 9(8), 1–11.
- Kiswandono, A. (2017). Perbandingan Dua Ekstraksi Yang Berbeda Pada Daun Kelor (*Moringa Oleifera*, Lamk) Terhadap Rendemen Ekstrak Dan Senyawa Bioaktif. *Jurnal Ilmiah Ilmu-Ilmu Biologi Dan Kimia*, 1.
- Kusumawati, E., Wahyuningsih, I., dan Khasnah, N. (2021). Pengembangan *Self Nano Emulsifying Drug Delivery System* (SNEDDS) Ekstrak Daun Senggugu (*Clerodendron serratum* [L.] Spr.). *Jurnal Ilmiah Manuntung*, 7(1), 57–65.
- Kusumawati, E., Wahyuningsih, I., Khasnah, N., Farmasi, P., dan Dahlan, U. A. (2021). Pengembangan *Self Nano Emulsifying Drug Delivery System* (SNEDDS) Ekstrak Daun Senggugu (*Clerodendron serratum* [L.] Spr.). *Jurnal Ilmiah Manuntung*, 7(1), 57–65.
- Liu, C., Lv, L., Guo, W., Mo, L., Huang, Y., Li, G., dan Huang, X. (2018). Self-Nanoemulsifying Drug Delivery System of Tetrandrine for Improved Bioavailability: Physicochemical Characterization and Pharmacokinetic Study. *BioMed Research International*, 2018.
- Liu, D., Yang, F., Xiong, F., dan Gu, N. (2016). The smart drug delivery system and its clinical potential. *Theranostics*, 6(9), 1306–1323.
- Liu, Y., Bravo, K. M. C., dan Liu, J. (2021). Nanoscale Horizons Targeted liposomal drug delivery: a nanoscience and biophysical perspective. *The Royal Society of Chemistry*, 78–94.
- Maharini, Rismarika, dan Yusnelti. (2020). Pengaruh konsentrasi PEG 400 sebagai kosurfaktan pada formulasi nanoemulsi minyak kepayang. *Chempublish Journal*, 5(1), 1–14.
- Maisaroh, M., Susetyo, I. B., dan Rusmandana, B. (2016). Sintesis Asam 9,10-Dihidroksi Stearat (Dhsa) Melalui Hidrolisa Epoksida Dari Oksidasi Asam Oleat Dengan Asam Performat. *Reaktor*, 16(2), 57.
- Maizura, M., Aminah, A., and Wan Aida, W. M. (2016). Antioxidant capacity and consumer acceptability of herbal egg tofu. *Lwt*, 65, 549–556.
- Makadia, M. H. A., Bhatt, M. A. Y., Parmar, R. B., Paun, M. J. S., dan Tank, H. M. (2013). Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspects. *Asian J. Pharm. Res.*, 3(1), 21–27.
- Mandlik Satish, K., Saugat, A., and Deshpande Ameya, A. (2012). Application of simplex lattice design in formulation and development of buoyant matrices of dipyridamole. *Journal of Applied Pharmaceutical Science*, 2(12), 107–111.
- Megha, P., Rajat, V., Anju, G., dan Aseem, S. (2018). Stability Testing Guidelines

- of Pharmaceutical Products. *Journal of Drug Delivery and Therapeutics*, 18(2), 169–175.
- Michaelsen, M. H., Siqueira Jørgensen, S. D., Abdi, I. M., Wasan, K. M., Rades, T., dan Müllertz, A. (2019). Fenofibrate oral absorption from SNEDDS and super-SNEDDS is not significantly affected by lipase inhibition in rats. *European Journal of Pharmaceutics and Biopharmaceutics*, 142(1), 258–264.
- Milasari. (2019). *Kadar Karbohidrat Dalam Susu Perah (Susu Sapi) Dengan Penambahan Madu Konsentrasi 25%, 50% Dan 75%*. 5–10.
- Mukhriani. (2014). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, VII.
- Mumpuni, P.D., Ayustaningwarno, F. (2013). Tokoferol, Analisis Kadar Aktivitas, D A N B Serta Minyak, Antioksidan , Bekatul Kasar. *Journal Of Nutrition Collage*, 2, 350–357.
- Nurchayani, E., Aniqotun Mutmainah, N., Farisi, S., dan Agustrina, R. (2019). Analisis Kandungan Karbohidrat Terlarut Total Planlet Buncis (*Phaseolus Vulgaris L.*) Menggunakan Metode Fenol-Sulfur Secara in Vitro. *Analit: Analytical and Environmental Chemistry*, 4(01), 73–80.
- Nurfadilah, Yuntarso, A., dan Herawati, D. (2019). *Perbandingan Metode Standar Nasional Indonesia Dan Non Standar Nasional Indonesia Dalam Penentuan Kadar*. 3(2), 37–41.
- Nurismawati, D.A. and Priani, S. (2021). Kajian Formulasi dan Karakterisasi Self-nanoemulsifying Drug Delivery System (SNEDDS) sebagai Penghantar Agen Antihiperlipidemia Oral. *Jurnal Riset Farmasi*, 1(2), 114–123.
- Oktami, E., Lestari, F., dan Aprilia, H. (2021). Studi Literatur Uji Stabilitas Sediaan Farmasi Bahan Alam. *Prosiding Farmasi*, 7(1), 72–77.
- Palomer, X., Pizarro-delgado, J., Barroso, E., and Vázquez-carrera, M. (2017). Palmitic and Oleic Acid : The Yin and Yang of Fatty Acids in Type 2 Diabetes Mellitus. *Trends in Endocrinology dan Metabolism*, 20, 1–13.
- Piomelli, D. (2013). A fatty gut feeling. *Trends in Endocrinology dan Metabolism*, 24(7), 332–341.
- Pranoto, I. R. (2020). Kadar Lemak, Kadar Protein Dan Total Padatan Es Krim Dengan Penambahan Pasta Ubi Jalar Ungu (*Ipomoea batatas L.*). *Skripsi*.
- Puspitasari, P., Arnelli, A., dan Suseno, A. (2013). Formulasi Larutan Pencuci dari Surfaktan Hasil Sublasi Limbah Laundry. *Jurnal Kimia Sains Dan Aplikasi*, 16(1), 11.
- Putri, N. E., Nurahmanto, D., dan Rosyidi, V. A. 2021. Optimasi Tween 80 dan Propilen Glikol dalam Self- Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Atsiri Daun Kemangi (*Ocimum basilicum*) Nanoemulsifying Drug Delivery System (SNEDDS) Basil Essential Oil (*Ocimum basilicum*). *E-Jorunal Pustaka Ilmu Kesehatan*. 9(2): 78–83.

- Putri, N. E., Nurahmanto, D., dan Rosyidi, V. A. 2021. Optimasi Tween 80 dan Propilen Glikol dalam Self- Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Atsiri Daun Kemangi (*Ocimum basilicum*) Nanoemulsifying Drug Delivery System (SNEDDS) Basil Essential Oil (*Ocimum basilicum*). *E-Jurnal Pustaka Ilmu Kesehatan*. 9(2): 78–83.
- Putri, Y. A. I., Wulandari, Y. W., dan Widanti, Y. A. (2022). Karakteristik Fisikokimia dan Sensori Stik Apas Tahu Substitusi Tepung Mocaf dan Penambahan Bayam Hijau (*Amaranthus hybridus* L). *Jurnal Teknologi Dan Industri Pangan UNISRI*, 7(1), 49–58.
- Rahayu, N., dan Mita, S. R. (2016). Article Review: Efek Penggunaan Tunggal Dan Kombinasi Asam Oleat Sebagai Peningkat Penetrasi Pada Sediaan Transdermal. *Farmaka*, 14, 82–92.
- Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif Dan Peranannya Dalam Sistem Biologis. *Jurnal Belian*. 9 (2): 196-202
- Salim, E., Fatimah, C., dan Fanny, D. Y. (2017). Analgetic Activity Of Cep-Cepan (*Saurauia cauliflora* DC.) Leaves Extract. *Jurnal Natural*, 17(1), 31.
- Sarker, A., Shimu, I. J., Tuhin, R. H., dan Raju, A. A. (2015). Review Article Nanoemulsion : An excellent mode for delivery of poorly soluble drug through different routes. *J. Chem. Pharm. Res.*, 7(12), 966–976.
- Sarmah, S., Gogoi, S. B., Xianfeng, F., dan Baruah, A. A. (2020). Characterization and identification of the most appropriate nonionic surfactant for enhanced oil recovery. *Journal of Petroleum Exploration and Production Technology*, 10(1), 115–123.
- Sayuti, N. A. (2015). Artikel Riset Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L .) Formulation and Physical Stability of *Cassia alata* L . Leaf Extract. *Jurnal Kefarmasian Indonesia*, 5(2), 74–82.
- Sekhon, B. S. (2013). Surfactants: Pharmaceutical and Medicinal Aspects. *Journal of Pharmaceutical Technology, Research and Management*, 1(1), 43–68.
- Seo, Y. G., Kim, D. W., Yousaf, A. M., Park, J. H., Chang, P. S., Baek, H. H., Lim, S. J., Kim, J. O., Yong, C. S., dan Choi, H. G. (2015). Solid self-nanoemulsifying drug delivery system (SNEDDS) for enhanced oral bioavailability of poorly water-soluble tacrolimus: Physicochemical characterisation and pharmacokinetics. *Journal of Microencapsulation*, 32(5), 503–510.
- Shah, H., Jain, A., Laghate, G., dan Prabhudesai, D. (2020). Pharmaceutical excipients. *Remington: The Science and Practice of Pharmacy*, 633–643.
- Singh, U.B., Sharma, C. (2013). Journal of Research in Plant Sciences. *Journal of Research in Plant Sciences*, 1(2), 1–6.
- Soepadmo, E., dan van Steenis, C. G. G. J. (1972). Fm1S1972007001014. *Flora Malesiana - Series 1, Spermatophyta*, 265–403.

- Solans C P Nolla J, Azemar N. & Garcia-Celma. MJ. Nanoemulsions. 2005. *Current opinion in colloid and interface science*. 10(3-4): 102-110.
- Stephanie. (2015). Pengaruh Variasi Fase Minyak Virgin Coconut Oil Dan Medium-Chain Triglycerides Oil Terhadap Stabilitas Fisik Nanoemulsi Minyak Biji Delima Dengan Kombinasi Surfaktan Tween 80 Dan Kosurfaktan PEG 400. *Universitas Sanata Dharma*, 1–77.
- Susanto, D. A., dan Kristiningrum, E. (2021). Pengembangan Standar Nasional Indonesia (Sni) Definisi Pangan Fungsional. *Jurnal Standardisasi*, 23(1), 53.
- Swasono, A.W.P. Sianturi, P.D E and Masyithah, Z. (2012). Sintesis surfaktan alkil poliglikosida dari glukosa dan dodekanol dengan katalis asam. *Jurnal Teknik Kimia USU*, 1(1), 5–9.
- Syed HK, Peh KK. (2014). Identification of phases of various oil, surfactant/co-surfactants and water system by ternary phase diagram. *Acta Pol Pharm - Drug Res*, 71(2), 301–9.
- Tambun, R., Limbong, H.P., Pinem, C., Manurung, E. 2016. Pengaruh Ukuran Partikel, Waktu dan Suhu pada Ekstraksi Fenol dari Lengkuas Merah. *Jurnal Teknik Kimia*. 5(4): 53-56.
- Taroreh Mercy, Sri Raharjo, Pudji Hastuti, A. M. (2015). Ekstraksi Daun Gedi (*Abelmoschus Manihot* L) Secara Sekuensial Dan Aktivitas Antioksidannya. *AGRITECH*, 35(3).
- Teaima, M., Hababeh, S., Khanfar, M., Alanazi, F., Alshora, D., dan El-Nabrawi, M. (2022). Design and Optimization of Pioglitazone Hydrochloride Self-Nanoemulsifying Drug Delivery System (SNEDDS) Incorporated into an Orally Disintegrating Tablet. *Pharmaceutics*, 14(2), 1–23.
- Thakur, R. K., Jindal, R., Singh, U. B., dan Ahluwalia, A. S. (2013). Plankton diversity and water quality assessment of three freshwater lakes of Mandi (Himachal Pradesh, India) with special reference to planktonic indicators. *Environmental Monitoring and Assessment*, 185(10), 8355–8373.
- Trianhini, R, I, N, K. Raharjo, M dan Putrantri, M. (2018). Sugar Salt and Fat Consupntion of population batur Kidul Village Getasan Subdistrist Semarang Regency. *Juornal of health*.(1).
- Wang, H., Li, Q., Deng, W., Omari-Siaw, E., Wang, Q., Wang, S., Wang, S., Cao, X., Xu, X., dan Yu, J. (2015). Self-nanoemulsifying drug delivery system of trans-cinnamic acid: Formulation development and pharmacodynamic evaluation in alloxan-induced type 2 diabetic rat model. *Drug Development Research*, 76(2), 82–93.
- Weerapol, Y., Limmatvapirat, S., Kumpugdee-Vollrath, M., dan Sriamornsak, P. (2014). Spontaneous Emulsification of Nifedipine-Loaded Self-Nanoemulsifying Drug Delivery System. *AAPS PharmSciTech*, 16(2), 435–443.
- Wijayanto, S. O., dan Bayuseno, A. . (2014). Analisis Kegagalan Material Pipa

Ferrule Nickel Alloy N06025 Pada Waste Heat Boiler Akibat Suhu Tinggi Berdasarkan Pengujian : *Jurnal Teknik Mesin*, 2(1), 33–39.

Wijayati, P. D., Suryana, A., Darmaga, J. R., Darmaga, K. I. P. B., Barat, J., Tentara, J., No, P., dan Barat, J. (2019). Permintaan Pangan Sumber Karbohidrat Di Indonesia The Demand For Carbohydrate Source Food In Indonesia. *Analisis Kebijakan Pertanian*, 17(1), 13–26.

Winarti, L. Suwaldi. Martien, R. Hakim, L. (2018). Formulation of Insulin Self Nanoemulsifying Drug Delivery System and Its In Vitro - In Vivo Study. *Indonesian Journal Of Pharmacy*, 29(3), 157–166.

Winarti, L. (2013). Sistem penghantaran obat tertarget, macam, jenis-jenis sistem penghantaran, dan aplikasinya. *Stomatognatic (J. K. G Unej)*, 10, 75–81.

