

## DAFTAR PUSTAKA

- [1] J. Patel, A. Soni, D. P. Barai, and B. A. Bhanvase, “A minireview on nanofluids for automotive applications: Current status and future perspectives,” *Appl. Therm. Eng.*, vol. 219, no. PA, p. 119428, 2023, doi: 10.1016/j.applthermaleng.2022.119428.
- [2] H. Wang *et al.*, “Study on the performance of a forced convection low temperature radiator for district heating,” *Energy*, vol. 283, no. January, p. 129036, 2023, doi: 10.1016/j.energy.2023.129036.
- [3] H. M. Valladares Montemayor and R. H. Chanda, “Automotive industry’s circularity applications and industry 4.0,” *Environ. Challenges*, vol. 12, no. January, p. 100725, 2023, doi: 10.1016/j.envc.2023.100725.
- [4] G. Sriharan, S. Harikrishnan, and H. F. Oztop, “Review article A review on thermophysical properties , preparation , and heat transfer enhancement of conventional and hybrid nanofluids utilized in micro and mini channel heat sink,” *Sustain. Energy Technol. Assessments*, vol. 58, no. February, p. 103327, 2023, doi: 10.1016/j.seta.2023.103327.
- [5] E. C. Okonkwo *et al.*, *An updated review of nanofluids in various heat transfer devices*, vol. 145, no. 6. Springer International Publishing, 2021. doi: 10.1007/s10973-020-09760-2.
- [6] X. Li, H. Wang, and B. Luo, “The thermophysical properties and enhanced heat transfer performance of SiC-MWCNTs hybrid nanofluids for car radiator system,” *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 612, no. 1, p. 125968, 2021, doi: 10.1016/j.colsurfa.2020.125968.
- [7] M. Gupta, V. Singh, S. Kumar, S. Kumar, and N. Dilbaghi, “Up to date review on the synthesis and thermophysical properties of hybrid nano fluids,” *J. Clean. Prod.*, vol. 190, pp. 169–192, 2018, doi: 10.1016/j.jclepro.2018.04.146.
- [8] M. Awais *et al.*, “Heat transfer and pressure drop performance of Nanofluid: A state-of- the-art review,” *Int. J. Thermofluids*, vol. 9, p. 100065, 2021, doi: 10.1016/j.ijft.2021.100065.
- [9] Z. Said *et al.*, “Recent advances on the fundamental physical phenomena

- behind stability, dynamic motion, thermophysical properties, heat transport, applications, and challenges of nanofluids," *Phys. Rep.*, vol. 946, pp. 1–94, 2022, doi: 10.1016/j.physrep.2021.07.002.
- [10] T. Ambreen and M. H. Kim, "Heat transfer and pressure drop correlations of nanofluids: A state of art review," *Renew. Sustain. Energy Rev.*, vol. 91, no. March, pp. 564–583, 2018, doi: 10.1016/j.rser.2018.03.108.
- [11] D. D. Mohite, B. Vidyapeeth, S. De, V. S. Jadhav, V. Chaturvedi, and S. De, "Nanomaterials in Automotive Applications: A Review and its Technical Aspects," *Int. J. Contemp. Archit.*, vol. 8, no. 2, pp. 1450–1460, 2021, [Online]. Available: <https://www.researchgate.net/publication/355191341>
- [12] S. Chakraborty and P. K. Panigrahi, "Stability of nanofluid: A review," *Appl. Therm. Eng.*, vol. 174, no. December 2019, 2020, doi: 10.1016/j.aplthermaleng.2020.115259.
- [13] D. G. Subhedar, B. M. Ramani, and A. Gupta, "Experimental investigation of heat transfer potential of Al<sub>2</sub>O<sub>3</sub>/Water-Mono Ethylene Glycol nanofluids as a car radiator coolant," *Case Stud. Therm. Eng.*, vol. 11, no. December 2017, pp. 26–34, 2018, doi: 10.1016/j.csite.2017.11.009.
- [14] E. Equipment, "Thermal performance enhancement of automobile radiator using water - CuO nanofluid : an experimental study," vol. 7, no. 3, pp. 235–248, 2019.
- [15] P. Kumar Rai, A. Kumar, and A. Yadav, "Experimental Investigation of Heat Transfer Augmentation in Automobile Radiators using Magnesium Oxide/Distilled Water-Ethylene Glycol based Nanofluid," *Mater. Today Proc.*, vol. 24, pp. 1525–1532, 2020, doi: 10.1016/j.matpr.2020.04.472.
- [16] H. Ruey Ong, W. Mohd Eqhwan Iskandar, M. Yapp Joo, M. M. Rahman Khan, and M. Khairul Anuar Mohamed, "Effects of natural-based SiO<sub>2</sub> nanocooolant on car radiator: Thermal profile," *Mater. Today Proc.*, vol. 66, pp. 2734–2737, 2022, doi: 10.1016/j.matpr.2022.06.505.
- [17] Z. Said *et al.*, "Enhancing the performance of automotive radiators using nanofluids," *Renew. Sustain. Energy Rev.*, vol. 112, no. March, pp. 183–194, 2019, doi: 10.1016/j.rser.2019.05.052.
- [18] S. Mukherjee, P. C. Mishra, N. F. Aljuwayhel, N. Ali, and P. Chaudhuri,

- “Thermo-fluidic performance of SiO<sub>2</sub>-ZnO/water hybrid nanofluid on enhancement of heat transport in a tube: Experimental results,” *Int. J. Therm. Sci.*, vol. 182, no. July, 2022, doi: 10.1016/j.ijthermalsci.2022.107808.
- [19] K. P. Gopinath, N. V. Madhav, A. Krishnan, R. Malolan, and G. Rangarajan, “Present applications of titanium dioxide for the photocatalytic removal of pollutants from water: A review,” *J. Environ. Manage.*, vol. 270, no. June, p. 110906, 2020, doi: 10.1016/j.jenvman.2020.110906.
- [20] P. V. Chilbule, L. P. Dhole, and G. R. Chavhan, “Optimization of heat pipe charged with CuO nanofluid using Taguchi technique,” *Mater. Today Proc.*, no. June 2023, 2023, doi: 10.1016/j.matpr.2023.08.343.
- [21] M. M. Zubair, M. Seraj, M. Faizan, M. Anas, and S. M. Yahya, “Experimental study on heat transfer of an engine radiator with TiO<sub>2</sub>/EG-water nano-coolant,” *SN Appl. Sci.*, vol. 3, no. 4, pp. 1–9, 2021, doi: 10.1007/s42452-021-04441-7.
- [22] O. A. Najman, P. Zena, K. Kadhim, A. Prof, and K. Ab, “Properties and Heat Transfer of Mixture ( Water-Eg ) with ( CuO ) Nanoparticles in Automotive Radiators Enhancing Thermophysical Properties and Heat Transfer of Mixture ( Water-Eg ) with ( CuO ),” no. March, 2023.
- [23] T. Sithebe, V. R. Vereedhi, and M. M. Khoza, “An investigation into the thermal performance of a TiO<sub>2</sub> + CuO nanofluid in a quad radiator,” *Mater. Today Proc.*, vol. c, no. xxxx, pp. 2–6, 2023, doi: 10.1016/j.matpr.2023.05.488.
- [24] N. Arora and M. Gupta, “An updated review on application of nanofluids in flat tubes radiators for improving cooling performance,” *Renew. Sustain. Energy Rev.*, vol. 134, no. August, p. 110242, 2020, doi: 10.1016/j.rser.2020.110242.
- [25] M. Ricki Murti, “Laju pembuangan panas pada radiator dengan fluida campuran 80% air dan 20% RC pada rpm konstan,” *J. Ilm. Tek. Mesin CAKRAM*, vol. 2, no. 1, pp. 4–9, 2008.
- [26] N. Ali, J. A. Teixeira, and A. Addali, “Aluminium Nanofluids Stability: A Comparison between the Conventional Two-Step Fabrication Approach and the Controlled Sonication Bath Temperature Method,” *J. Nanomater.*, vol.

- 2019, no. October, 2019, doi: 10.1155/2019/3930572.
- [27] A. Asadi, I. M. Alarifi, and L. K. Foong, “An experimental study on characterization, stability and dynamic viscosity of CuO-TiO<sub>2</sub>/water hybrid nanofluid,” *J. Mol. Liq.*, vol. 307, 2020, doi: 10.1016/j.molliq.2020.112987.
- [28] H. W. Xian, N. A. C. Sidik, and R. Saidur, “Impact of different surfactants and ultrasonication time on the stability and thermophysical properties of hybrid nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 110, no. November 2019, 2020, doi: 10.1016/j.icheatmasstransfer.2019.104389.
- [29] M. Benkhedda, T. Boufendi, T. Tayebi, and A. J. Chamkha, “Convective heat transfer performance of hybrid nanofluid in a horizontal pipe considering nanoparticles shapes effect,” *J. Therm. Anal. Calorim.*, vol. 140, no. 1, pp. 411–425, 2020, doi: 10.1007/s10973-019-08836-y.
- [30] L. S. Sundar, M. H. Farooky, S. N. Sarada, and M. K. Singh, “Experimental thermal conductivity of ethylene glycol and water mixture based low volume concentration of Al<sub>2</sub>O<sub>3</sub> and CuO nanofluids,” *Int. Commun. Heat Mass Transf.*, vol. 41, pp. 41–46, 2013, doi: 10.1016/j.icheatmasstransfer.2012.11.004.
- [31] H. Zhang, S. Qing, J. Xu, X. Zhang, and A. Zhang, “Stability and thermal conductivity of TiO<sub>2</sub>/water nanofluids: A comparison of the effects of surfactants and surface modification,” *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 641, no. February, p. 128492, 2022, doi: 10.1016/j.colsurfa.2022.128492.
- [32] Muhamad Taufik Ulhakim, Sukarman, Khoirudin, Nazar Fazrin, Tomas Irfani, and Amri Abdulah, “The Qualitative Stability and Thermal Properties Investigation of TiO<sub>2</sub>-EG/W Nanofluids Through Experimental Validation,” *J. Asiimetrik J. Ilm. Rekayasa Inov.*, vol. 6, pp. 143–152, 2024, doi: 10.35814/asiimetrik.v6i1.5882.
- [33] N. Ali, J. A. Teixeira, and A. Addali, “A Review on Nanofluids: Fabrication, Stability, and Thermophysical Properties,” *J. Nanomater.*, vol. 2018, 2018, doi: 10.1155/2018/6978130.
- [34] W. Ji, L. Yang, Z. Chen, M. Mao, and J. nan Huang, “Experimental studies and ANN predictions on the thermal properties of TiO<sub>2</sub>-Ag hybrid

- nanofluids: Consideration of temperature, particle loading, ultrasonication and storage time,” *Powder Technol.*, vol. 388, pp. 212–232, 2021, doi: 10.1016/j.powtec.2021.04.069.
- [35] M. Qasim, M. Sajid Kamran, M. Ammar, M. Ali Jamal, and M. Yasar Javaid, “Heat Transfer Enhancement of an Automobile Engine Radiator using ZnO Water Base Nanofluids,” *J. Therm. Sci.*, vol. 29, no. 4, pp. 1010–1024, 2020, doi: 10.1007/s11630-020-1263-9.
- [36] S. Ramalingam, R. Dhairiyasamy, and M. Govindasamy, “Assessment of heat transfer characteristics and system physiognomies using hybrid nanofluids in an automotive radiator,” *Chem. Eng. Process. - Process Intensif.*, vol. 150, no. March, p. 107886, 2020, doi: 10.1016/j.cep.2020.107886.
- [37] Rihaldi Syahputra, Armila, and Rudi Kurniawan Arief, “Analisis Pengaruh Laju Aliran Massa Fluida Terhadap Perubahan Temperatur Pada Radiator Honda CBR 150 CC,” *JTTM J. Terap. Tek. Mesin*, vol. 2, no. 2, pp. 69–77, 2021, doi: 10.37373/jttm.v2i2.138.
- [38] A. Rehman *et al.*, “Effect of surfactants on the stability and thermophysical properties of Al<sub>2</sub>O<sub>3</sub>+TiO<sub>2</sub> hybrid nanofluids,” *J. Mol. Liq.*, vol. 391, no. PB, p. 123350, 2023, doi: 10.1016/j.molliq.2023.123350.
- [39] K. Apmann, R. Fulmer, A. Soto, and S. Vafaei, “Thermal conductivity and viscosity: Review and optimization of effects of nanoparticles,” *Materials (Basel)*, vol. 14, no. 5, pp. 1–75, 2021, doi: 10.3390/ma14051291.

### **RIWAYAT PENULIS**



Penulis lahir di Klaten, Jawa Tengah pada tanggal 24 Juli 1998 sebagai anak ke-2 dari dua bersaudara dari pasangan Bapak Sihono dan Ibu Sarmini. Saat ini penulis bertempat tinggal di Dusun Sircabaya, Teluk Jambe Timur, Kabupaten Karawang Jawa Barat. Pendidikan SMK di tempuh di Program Studi Teknik Kendaraan Ringan SMK N 2 Klaten lulus pada tahun 2017, Penulis diterima di Universitas Buana Perjuangan Karawang Program Studi Teknik Mesin tahun 2020 hingga sekarang.

