

## DAFTAR PUSTAKA

- Ansel, H. C. (1989). *Pengantar bentuk sediaan farmasi* (Edisi ke-4, Farida Ibrahim, Penerj.). Jakarta: Universitas Indonesia. Hal. 155–164.
- Anwar, S., Ahmad, M., & Akhtar, N. (2020). Stability studies of cosmetic emulsions based on natural oils. *Journal of Cosmetic Science*, 71(3), 201–212.
- Cachique, D. H., Solsol, H. R., & Sanchez, M. A. G. (2018). Vegetative propagation of the underutilized oilseed crop sacha inchi (*Plukenetia volubilis L.*). *Genetic Resources and Crop Evolution*, 65(11), 2027–2036. [doi.org/10.1007/s10722-018-0659-9](https://doi.org/10.1007/s10722-018-0659-9)
- Chia, H. Y., Wu, J., Wang, X., & Yan, W. (2022). Process parameter optimization of metal additive manufacturing: A review and outlook. *Journal of Materials Informatics*, 2(16). [doi.org/10.20517/jmi.2022.18](https://doi.org/10.20517/jmi.2022.18)
- Chirinos, R., Necochea, O., Predeschi, R., & Campos, D. (2016). *Sacha inchi* (*Plukenetia volubilis L.*) shell: An alternative source of phenolic compounds and antioxidants. *International Journal of Food and Technology*, 5(1), 986–993.
- Direktorat Standarisasi Obat Tradisional, Kosmetik dan Produk Komplemen Badan Pengawas Obat dan Makanan Republik Indonesia. (2010). *Petunjuk operasional pedoman cara pembuatan kosmetik yang baik*. Jakarta.
- Djekic, L., Martinovic, M., Dobricic, V., Calija, B., Medarevic, D., & Primorac, M. (2018). Comparison of the effect of bioadhesive polymers on stability and drug release kinetics of biocompatible hydrogels for topical application of ibuprofen. *Journal of Pharmaceutical Sciences*, 1–8.
- Escudero, F. R., Morales, M. T., Escudero, M. R., Munoz, A. M., Chavez, K. C., & Asuero, A. G. (2020). Assessment of phenolic and volatile compounds of commercial sacha inchi oils and sensory evaluation. *Food Research International*. <https://doi.org/10.1016/j.foodres.2020.110022>
- Fitriani, Y., Rahayu, D. U., & Sari, R. P. (2020). Pengaruh Viskositas terhadap Daya Sebar dan Penyerapan Krim Topikal Berbasis Ekstrak Herbal. *Jurnal Farmasi Indonesia*, 17(2), 120–127. [doi.org/10.22146/jfi.2020.17.2.120](https://doi.org/10.22146/jfi.2020.17.2.120)

- Fleck, A., Cabral, P. F. G., Vieira, F. F. M., Pinheiro, D. A., Pereira, C. R., Santos, W. C., & Machado, T. B. (2016). *Punica granatum L.* Hydrogel for wound care treatment: From case study to phytomedicine standardization. *Molecules*, 21(1), 1–13.
- Garg, A. D., Aggarwal, S., & Sigla, A. K. (2002). Spreading of semisolid formulation: An update. *Pharmaceutical Technology*, September, 84–102.
- Garg, T., Rath, G., & Goyal, A. K. (2011). Comprehensive review on additives of topical dosage forms for drug delivery. *Dermatology Research and Practice*, 2011, Article ID 524548. [doi.org/10.1155/2011/524548](https://doi.org/10.1155/2011/524548)
- Gonzales, G. F., & Valdivia, R. A. (2017). Nutritional value and health benefits of Sacha Inchi (*Plukenetia volubilis L.*): A review. *Food Research International*, 100, 301–309. <https://doi.org/10.1016/j.foodres.2017.06.037>
- Gutiérrez, L. F., Rosada, L. M., & Jiménez, A. (2015). Chemical composition of sacha inchi (*Plukenetia volubilis L.*) seeds and characteristics of their lipid fraction. *Grasas y Aceites*, 66(1), e062.
- Gutiérrez, L. F., Rosada, L. M., & Jiménez, A. (2016). Chemical composition of Sacha Inchi (*Plukenetia volubilis L.*) seeds and characteristics of their lipid fraction. *Grasas y Aceites*, 66(1), e062.
- Irmayanti, M., Rosalinda, S., & Widayasanti, A. (2021). Formulasi handbody lotion (Setil alkohol dan karagenan) dengan penambahan ekstrak kelopak rosela. *Jurnal Teknotan*, 15(1), 47.
- Joshi, M., Mathur, P., & Patil, S. (2019). Formulation and evaluation of a natural oil-based *body lotion* containing anti-inflammatory agents. *International Journal of Cosmetic Science*, 41(2), 89–98.
- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1986). *Teori dan praktek farmasi industri* (Edisi ke-3, Suyatmi, Penerj.). Jakarta: Penerbit Universitas Indonesia. Hal. 760–779, 1514–1587.
- Marieb, E. N., & Hoehn, K. (2018). *Human Anatomy & Physiology* (11th ed.). Pearson Education.
- Maurer, S., Ermel, G., & Clément, G. (2016). The role of omega fatty acids in skin health. *Journal of Dermatological Science*, 83(2), 123–131.

- Megantara, I. N. A. P., Megayanti, K., Wirayanti, R., Esa, I. B. D., Wijayanti, N. P. D., & Yustiantara, P. S. (2017). Formulasi lotion ekstrak buah raspberry (*Rubus rosifolius*) dengan variasi konsentrasi trietanolamin sebagai emulgator serta uji hedonik terhadap lotion. *Jurnal Farmasi Udayana*, 6(1), 1–5.
- Mitsui, T. (Ed.). (1997). *New cosmetic science* (Edisi ke-1). Amsterdam: Elsevier B. V.
- Nair, R., Anoop, K. R., & Ram, A. (2010). Formulation and evaluation of topical emulgel of nimesulide. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2(3), 129–134.
- Narayan, S., & Manupriya, C. (2017). A review on stability studies of pharmaceutical products. *International Journal of Applied Pharmaceutical and Biological Research*, 2(3), 67–75.
- Ningsih, A. W., Klau, I. C. S., & Wardani, E. P. (2021). Studi formulasi hand body lotion ekstrak etanol kunyit (*Curcuma domestica val.*). *FARMASIS: Jurnal Sains Farmasi*, 2(1), 32–37. <https://doi.org/10.36456/farmasis.v2i1.3621>
- Nurjannah, A., Mardiono, J., Enti, B., & Seulale, V. (2020). Karakteristik bubuk rumput laut *Gracilaria verrucosa* dan *Turbinaria conoides* sebagai bahan baku body lotion. *Jurnal Akuatek*, 1(2), 73–83.
- Osol, A. (1980). *Remington's pharmaceutical sciences* (Edisi ke-16). Easton, Pennsylvania: Mack Publishing Company. Hal. 104–135, 244–262.
- Patlolla, V. G. R., Holbrook, W. P., Gizurason, S., & Kristmundsdottir, T. (2019). Doxycycline and monocaprin in situ hydrogel: Effect on stability, mucoadhesion, and texture analysis and in vitro release. *MDPI Journal*, 5(47), 1–13.
- Pratama, A. N., & Busman, H. (2020). Potensi antioksidan kedelai (*Glycine max L.*) terhadap penangkapan radikal bebas. *Jurnal Ilmiah Kesehatan Sandi Husada*, 11(1), 497–504.
- Rachmawati, H., Soewandhi, S. N., & Mardiyati, E. (2013). Pengaruh viskositas terhadap karakteristik sediaan gel topikal. *Majalah Farmasetika Indonesia*, 24(2), 78–84.

- Rahayu, S. (2016). Hubungan perbedaan konsentrasi ekstrak kunyit putih (*Curcuma mangga Val*) terhadap sifat fisik lotion. *Prosiding Rakernas dan Pertemuan Ilmiah Tahunan Ikatan Apoteker 2016*, 50–56.
- Ribeiro, H. M., Morais, J. A., & Simões, S. (2015). Advances in stability of emulsions containing natural oils. *International Journal of Cosmetic Science*, 37(3), 259–268.
- Rusli, N., & Pandean, F. (2017). Formulasi hand and *body lotion* antioksidan ekstrak daun muda jambu mete (*Anacardium occidentale L.*). *Warta Farmasi*, 6(1), 57–64.
- Sabarinah, S., Chairul, C., & Utami, D. (2022). *Formulasi dan Evaluasi Sediaan Lotion Minyak Atsiri*. Jakarta: Penerbit UI Press.
- Saputro, M. R., Wardhana, Y. W., & Wathoni, N. (2021). Stabilitas hidrogel dalam penghantaran obat. *Majalah Farmasetika*, 6(5), 421–435.
- Siregar, C. F. (2020). *Formulasi dan Evaluasi Sediaan Kosmetik*. Jakarta: Penerbit Buku Kedokteran EGC.
- Sopianti, R., & Agustin, R. (2019). Formulasi dan Uji Sifat Fisik Lotion Pencerah Ekstrak Kulit Jeruk Nipis (*Citrus aurantifolia*). *Jurnal Farmasetis*, 8(2), 1–10.
- Sterbova, L., Cepkova, P. H., Viehmannova, I., & Cachique, D. H. (2016). Effect of thermal processing on phenolic content, tocopherols, and antioxidant activity of Sacha Inchi kernels. *Journal of Food Process and Preservation*, 40(1), 1–8.
- Sundaram, H., *et al.* (2023). In vitro study of the gel cohesivity and persistence to hyaluronidase degradation of a novel stabilized composition of 26 mg/mL of high molecular weight HA. *Journal of Materials Research*, 12(4), 35–47. [doi.org/10.1016/j.jmr.2023.02.005](https://doi.org/10.1016/j.jmr.2023.02.005)
- Vadas, E. B. (2000). Stability of pharmaceutical products. Dalam A. R. Genero (Ed.), *The Science and Pharmacy* (Edisi ke-20). Philadelphia: Lippincott Williams and Wilkins.
- Wasitaatmadja, S. M. (1997). *Penuntun Ilmu Kosmetik Medik*. Jakarta: UI Press.